


 **Patons**

1163 Price code J

Clownin' round

3, 4, 5
& 8ply





6 W
531
SPC



9 310001 005005







1 BABY'S JACKET AND HAT

As illustrated on Front Cover

★★

MEASUREMENTS

Size		A	B	C	D
Approx age	months	3	6	12	18
Jacket fits underarm	cm	40	45	50	52.5
	ins	16	18	20	21
Garment measures	cm	46	53	60	64
Length					
(approx, excluding points)	cm	26	29	33	35.5
Sleeve fits	cm	13	16	19	21
Hat fits head	cm	40	45	48	49.5

MATERIALS

PATONS TOTEM 8 PLY 50g balls

See page 20 for alternative yarns which may be used.

Jacket	5	5	6	6
Hat	2	2	2	3

Quantities are approximate as they vary between knitters.

IMPORTANT! Use only the yarns specified for these garments.

Other yarns may give unsatisfactory results.



ACCESSORIES – 1 pair 4.00mm (No 8) Milward Knitting Needles or size needed to give correct tension. 3 Stitch Holders and 5 Terries Buttons for Jacket.

ABBREVIATIONS – See page 20.

TENSION – 22.5 sts and 30 rows to 10 cm over stocking st.

FIRST – CHECK YOUR TENSION.

Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

JACKET (worked in one piece to armholes, beg with points)

Using 4.00mm Needles, cast on one st.

**** 1st row** – Knit into front and back of st.

2nd row – K1, inc in last st.

3rd row – Knit to last st, inc in last st.

Rep 3rd row 4 times ... 8 sts.

8th row – K4, P1, K2, inc in last st.

9th and 11th rows – As 3rd row.

10th row – K4, P3, K2, inc in last st.

12th row – K4, P5, K2, inc in last st ... 13 sts.

Sizes B, C and D only – **13th row** – As 3rd row.

14th row – K4, P7, K2, inc in last st ... 15 sts.

Sizes C and D only – **15th row** – As 3rd row.

16th row – K4, P9, K2, inc in last st ... 17 sts.

All Sizes – Break off yarn, leave sts on needle. ******

On to same needle, cast on one st for next point.

Rep from ****** to ******.

Cont working more points in this manner until 8 points have been completed. DO NOT break off yarn after last point.

Join points as foll – **Sizes A, B and C only** – **1st row** – Knit across all sts to last st, inc in last st.

Size D only – **1st row** – * K16, inc in next st, rep from * to end.

All Sizes – 105 (121–137–144) sts.

2nd row – K4, P7 (9–11–11), * K6 (6–6–7), P7 (9–11–11), rep from * to last 3 sts, K2, inc in last st.

3rd and 5th rows – Knit to last st, inc in last st.

4th row – K4, P9 (11–13–13), * K4 (4–4–5), P9 (11–13–13), rep from * to last 3 sts, K2, inc in last st.

6th row – K5, P9 (11–13–13), * K4 (4–4–5), P9 (11–13–13), rep from * to last 4 sts, K3, inc in last st ... 110 (126–142–149) sts.

7th row – K2, y fwd, K2 tog (buttonhole), knit to end.

8th row – K5, P9 (11–13–13), * K4 (4–4–5), P9 (11–13–13), rep from * to last 5 sts, K5.

Last 2 rows form patt (noting buttonhole).

Cont in patt, working a buttonhole (as before) in foll 16th (18th–20th–22nd) rows from previous buttonhole twice.

Work a further 5 (5–7–9) rows patt.

Divide for armholes – **Next row** – K29 (33–37–38), turn.

Cont on these 29 (33–37–38) sts for **Right Front**.

Work a further 24 (28–30–32) rows patt, working a buttonhole (as before) in foll 16th (18th–20th–22nd) row from previous buttonhole ... 4 buttonholes.

Shape neck – **Next row** – Patt to last 10 sts, P2 tog, turn, leave rem 8 sts on a stitch-holder for neckband.

******* Keeping patt correct, dec at neck edge in every row until 17 (21–25–26) sts rem, then in alt rows until 15 (19–22–23) sts rem.

Work 2 rows patt.

Shape shoulder – Cast off 5 (6–7–8) sts loosely at beg of next row and foll alt row.

Work 1 row. Cast off, *******

Join yarn to rem sts, **Size D only** – K2 tog, **All Sizes** – K52 (60–68–70), turn.

Cont on these 52 (60–68–71) sts for **Back**.

Work 33 (37–41–43) rows patt.

Shape shoulders – Cast off 5 (6–7–8) sts loosely at beg of next 4 rows, then 5 (7–8–7) sts at beg of foll 2 rows.

Leave rem 22 (22–24–25) sts on a stitch-holder.

Join yarn to rem sts, **Size D only** – K2 tog, **All Sizes** – knit to end.

Cont on these 29 (33–37–38) sts for **Left Front**.

Work a further 23 (27–29–31) rows patt.

Shape neck – **Next row** – Knit to last 8 sts, turn, leave rem 8 sts on a stitch-holder for neckband.

Work as from ******* to ******* for Right Front, working 1 row instead of 2 before shoulder shaping.

SLEEVES

Using 4.00mm Needles, cast on 33 (35–39–41) sts.

Knit 5 rows garter st (1st row is wrong side), inc 3 sts evenly across last row ... 36 (38–42–44) sts.

Continued on page 19

2

BABY'S JACKET AND HAT

As illustrated on Page 2

★★★

MEASUREMENTS

Size		A	B	C	D
Approx age	months	3	6	12	18
Jacket fits underarm	cm	40	45	50	52.5
	ins	16	18	20	21
Garment measures	cm	45	52	59	63
Length	cm	29	32	36	38.5
Sleeve fits	cm	13	16	19	21
Hat fits head	cm	40	45	48	49.5

MATERIALS

PATONS TOTEM 8 PLY 50g balls

See page 20 for alternative yarns which may be used.

Jacket	6	6	7	7
Hat	3	3	3	3

Quantities are approximate as they vary between knitters.

IMPORTANT! Use only the yarns specified for these garments.

Other yarns may give unsatisfactory results.



ACCESSORIES - 1 pair each 4.00mm (No 8) and 3.25mm (No 10) Milward Knitting Needles or sizes needed to give correct tension. 3 Stitch Holders and 8 Terries Buttons for Jacket.

ABBREVIATIONS - See page 20.

TENSION - 22.5 sts to 10cm in width over stocking st and 28.5 sts to 10 cm in width over patt.

FIRST - CHECK YOUR TENSION.

Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

JACKET

BACK

Using 3.25mm Needles, cast on 59 (67-75-83) sts.

1st row - K2, * P1, K1, rep from * to last st, K1.

2nd row - K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows 4 times (10 rows rib in all), inc 8 sts evenly across last row ... 67 (75-83-91) sts.

Change to 4.00mm Needles.

1st row - * K2, P2, rep from * to last 3 sts, K2, P1.

2nd row - * P2, K2, rep from * to last 3 sts, P2, K1.

These 2 rows form patt.

Cont in patt until work measures 16.5 (18-20.5-21.5) cm from beg, ending with a 2nd row.

Shape raglan armholes - Keeping patt correct, cast off 3 sts at beg of next 2 rows.

Dec at each end of next and foll 4th row/s until 53 (61-69-81) sts rem, then in alt rows until 27 (29-31-31) sts rem.

Work 1 row.

Leave sts on a stitch-holder.

LEFT FRONT

Using 4.00mm Needles, cast on 25 (28-31-34) sts.

Work 18 (18-20-20) rows stocking st, inc 6 (7-8-9) sts evenly across last row ... 31 (35-39-43) sts.

These rows form pocket lining.

Cont in patt as for Back until work measures same as Back to armholes (excluding rib at lower edge), ending with a 2nd row. **

Shape raglan armhole - Keeping patt correct, cast off 3 sts at beg of next row.

Work 1 row.

Dec at beg of next and foll 4th row/s until 24 (28-32-38) sts rem, then in alt rows until 18 (19-21-21) sts rem.

Work 1 row.

Shape neck - **Next row** - Work 2 tog, patt 11 (11-13-13), slip rem 5 (6-6-6) sts on to a stitch-holder and leave, turn.

*** Cont on these 12 (12-14-14) sts.

Dec at each end of alt rows until 4 sts rem, then at armhole edge only until 2 sts rem.

Next row - Work 2, turn, work 2 tog.

Fasten off. ***

RIGHT FRONT

Work as for Left Front to **.

Work 1 row.

Shape raglan armhole - Keeping patt correct, cast off 3 sts at beg of next row.

Dec at end of next and foll 4th row/s until 24 (28-32-38) sts rem, then in alt rows until 18 (19-21-21) sts rem.

Work 1 row.

Shape neck - **Next row** - Patt 5 (6-6-6), slip these 5 (6-6-6) sts on to stitch-holder and leave, patt to last 2 sts, work 2 tog.

Work as for Left Front from *** to ***.

SLEEVES

Using 3.25mm Needles, cast on 29 (31-31-33) sts.

Work 9 rows rib as for Back.

Next row - Rib 5 (4-4-3), * inc in next st, rib 1, rep from * to last 4 (3-3-2) sts, rib 4 (3-3-2) ... 39 (43-43-47) sts.

Change to 4.00mm Needles.

Work 4 rows patt as for Back.

Keeping patt correct, inc at each end of next and foll alt (4th-4th-6th) row/s until there are 43 (47-49-55) sts, then in foll 4th (6th-6th-8th) rows until there are 51 (55-59-61) sts.

Cont without shaping until work measures 13 (16-19-21) cm (or length desired) from beg, working last row on wrong side.

Shape raglan - Keeping patt correct, cast off 3 sts at beg of next 2 rows.

Dec at each end of next and foll alt (4th-4th-4th) row/s until 5 (45-47-47) sts rem, **Sizes B, C and D only** - then in alt rows until 5 sts rem.

All Sizes - Work 1 row.

Cast off.

POCKETS (Make 2)

Using 3.25mm Needles, cast on 27 (31-35-39) sts.

Work 10 rows rib as for Back, inc 4 sts evenly across last row ... 31 (35-39-43) sts.

Change to 4.00mm Needles.

Work 22 (22-26-26) rows patt as for Back.

Change to 3.25mm Needles.

Work 3 rows rib as before.

Next row - Rib 15 (17-19-21), cast off 2 sts, rib 14 (16-18-20).

Next row - Rib 14 (16-18-20), turn, cast on 2 sts, turn, rib 15 (17-19-21).

Work a further 3 rows rib.

Cast off loosely in rib.

NECKBAND

Using back-stitch, join raglan seams, noting that tops of sleeves form part of neckline. With right side facing, slip 5 (6-6-6) sts from right front stitch holder on to a 3.25mm Needle and using same needle, knit up 57 (59-65-65) sts evenly around neck, incl sts from back stitch-holder, then knit across 5 (6-6-6) sts from left front stitch-holder ... 67 (71-77-77) sts.

Work 9 rows rib as for Back, beg with a 2nd row.

Cast off loosely in rib.

RIGHT FRONT BAND

Slip-stitch cast-on edge of Fronts to lower edge of pockets above rib band, then oversew at side edges. With right side facing and using 3.25mm Needles, knit up 77 (83-93-97) sts evenly along edge of Right Front and across end of neckband, noting to work through both thicknesses along edge of pocket.

Work 3 rows rib as for Sleeves, beg with a 2nd row.

4th row - Rib 3, cast off 2 sts, * rib 12 (13-15-16), cast off 2 sts, rep from * to last 2 (3-3-2) sts, rib 2 (3-3-2).

5th row - Rib 2 (3-3-2), turn, cast on 2 sts, turn, * rib 12 (13-15-16), turn, cast on 2 sts, turn, rep from * to last 3 sts, rib 3 ... 6 buttonholes.

Work 4 rows rib.

Cast off loosely in rib.

LEFT FRONT BAND

Work to correspond with Right Front Band, omitting buttonholes.

MAKE UP

With a slightly damp cloth and warm iron, press lightly, taking care not to flatten patt. Using back-stitch, join side and sleeve seams, noting to work through all thicknesses across side of pockets. Sew buttons in position to front bands and pockets. Press seams.

HAT

Using 3.25mm Needles, cast on 85 (97-107-111) sts.

Work 20 rows rib as for Back of Jacket.

Next row - Rib 10 (9-8-10), * inc in next st, rib 4 (5-5-5), rep from * to last 5 (4-3-5) sts, rib 5 (4-3-5) ... 99 (111-123-127) sts.

Change to 4.00mm Needles.

Work 16 (20-24-28) rows patt as for Back of Jacket.

Keeping patt correct, dec at each end of next 3 rows.

Work 1 row.


Rep last 4 rows a further 14 (16-18-18) times ... 9 (9-9-13) sts.

Break off yarn, run end through rem sts, draw up and fasten off securely.

MAKE UP

With a slightly damp cloth and warm iron, press lightly, taking care not to flatten patt. Using back-stitch, join hat seam from beg of shaping to point. With right side facing and using 3.25mm Needles, knit up 35 (38-43-47) sts evenly around neck edge, beg and ending at centre of rib band (ie leaving first 3 cm of rib band free).

Knit 1 row. Cast off knitways.

Fold rib band in half on to right side and catch in position at ends. Using 4 strands of yarn 100 cm long for each, make 2 twisted cords (see below) and attach one to each side of hat. Using cardboard 2.5 cm in diameter with a 1.2 cm hole, make 3 pom-poms (see below) and attach one to point and one each to ends of cords. 

POM-PONS

To make a pom-pom, cut two circles of cardboard, the diameter depends on the size of the pom-pom to be made, and should be equal to the size of the finished pom-pom plus approximately 1.25 cm for trimming, plus the diameter of the centre hole, e.g. for a pom-pom 4 cm across, the circles would be 4 cm, plus 1.25 cm, plus 1.25 cm for centre hole, equals 6.5 cm. Cut a round hole in the centre, the size of the hole is approximately a quarter of the finished pom-pom.


Wind the yarn round and round the cardboard until the centre hole is completely filled up.

Place the point of a pair of scissors between the two circles of cardboard and cut around, keeping the scissors between the cardboard all the time. Using a double strand of yarn, wrap round between the two circles of cardboard, knot firmly, and take away cardboard. Trim pom-pom.



TO MAKE A TWISTED CORD

Method requires two people. Take as many strands of yarn as required, approximately three times the length required for the finished cord. Knot each end and slip a pencil between strands. Each person holds yarn just below pencil with one hand and twists pencil clockwise with other hand, keeping yarn taut. When yarn begins to kink, catch centre over door-knob or back of chair. Bring pencils together for one person to hold, while other grasps centre of yarn, sliding hand down and releasing at short intervals, letting yarn twist. Knot ends to prevent unravelling.



3 BABY'S HOODED JACKET

As illustrated on Page 3

★★

MEASUREMENTS

Size		A	B	C	D
Approx age	months	3	6	12	18
Fits underarm	cm	40	45	50	52.5
	ins	16	18	20	21
Garment measures	cm	45	51	57	60
Length					
(approx - when worn)	cm	26	29	33	35.5
Sleeve fits	cm	13	16	19	21
		(or length desired)			

MATERIALS

PATONS BLUEBELL CREPE 5 PLY 50g balls

See page 20 for alternative yarns which may be used.

Quantity 5 6 6 7

Quantities are approximate as they vary between knitters.

IMPORTANT! Use only the yarns specified for this garment.

Other yarns may give unsatisfactory results.



ACCESSORIES - 1 pair each 3.75mm (No 9) and 3.00mm (No 11) Milward Knitting Needles or sizes needed to give correct tension. A Cable Needle; 2 Stitch Holders; 5 (5-6-6) Terries Buttons; Length of Bias Binding.

ABBREVIATIONS - See page 20. **Cable** = Slip next 2 sts on to cable needle and leave at back of work, K2, then K2 from cable needle.

TENSION - 26.5 sts to 10cm in width over stocking st.

FIRST - CHECK YOUR TENSION.

Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

BACK

Using 3.00mm Needles, cast on 64 (74-80-86) sts.

Knit 8 rows garter st (1st row is wrong side).

Change to 3.75mm Needles.

1st row (wrong side) - K6 (11-4-7), inc purlways in each of next 2 sts, * K8, inc purlways in each of next 2 sts, rep from * to last 6 (11-4-7) sts, K6 (11-4-7) ... 76 (86-96-102) sts.

2nd row - P6 (11-4-7), K4, * P8, K4, rep from * to last 6 (11-4-7) sts, P6 (11-4-7).

3rd row - K6 (11-4-7), P4, * K8, P4, rep from * to last 6 (11-4-7) sts, K6 (11-4-7).

4th row - P6 (11-4-7), **Cable**, * P8, **Cable**, rep from * to last 6 (11-4-7) sts, P6 (11-4-7).

5th row - As 3rd row.

Rows 2 to 5 incl form patt.

Cont in patt until work measures approx 16 (17-19-20) cm from beg, ending with a 5th (5th-5th-3rd) row.

This measurement allows 2 cm extra in length to allow for blousing when worn.

Shape raglan armholes - Keeping patt correct, cast off 3 sts at beg of next 2 rows.

3rd row - K2, sl 1, K1, pssso, patt to last 4 sts, K2 tog, K2.

4th, 5th and 6th rows - K3, patt to last 3 sts, K3.

Rep rows 3 to 6 incl 2 (1-0-0) time/s, then 3rd row once ... 62 (74-86-92) sts.

Dec (as before) at each end of alt rows until 36 (36-38-38) sts rem.

Work 1 row.

Cast off.

LEFT FRONT

Using 3.00mm Needles, cast on 32 (37-40-43) sts.

Knit 8 rows garter st (1st row is wrong side).

Change to 3.75mm Needles. **

1st row (wrong side) - K4, inc purlways in each of next 2 sts, * K8, inc purlways in each of next 2 sts, rep from * to last 6 (11-4-7) sts, K6 (11-4-7) ... 38 (43-48-51) sts.

2nd row - P6 (11-4-7), K4, * P8, K4, rep from * to last 4 sts, P4.

3rd row - K4, P4, * K8, P4, rep from * to last 6 (11-4-7) sts, K6 (11-4-7).

4th row - P6 (11-4-7), **Cable**, * P8, **Cable**, rep from * to last 4 sts, P4.

5th row - As 3rd row.

Rows 2 to 5 incl form patt.

Cont in patt until work measures same as Back to armhole, ending with same row patt.

Shape raglan armhole - Keeping patt correct, cast off 3 sts at beg of next row.

Work 1 row.

3rd row - K2, sl 1, K1, pssso, patt to end.

4th row - Patt to last 3 sts, K3.

5th row - K3, patt to end.

6th row - As 4th row.

Rep rows 3 to 6 incl 2 (1-0-0) time/s, then 3rd row once ... 31 (37-43-46) sts.

Dec (as before) at beg of alt rows until 25 (25-27-27) sts rem.

Work 1 row, thus ending with a 5th row of patt.

Shape neck - **1st row** - K2, sl 1, K1, pssso, patt 12 (12-14-14), slip rem 9 sts on to a stitch-holder and leave, turn.

Cont on these 15 (15-17-17) sts.

2nd row - Work 2 tog, patt to last 3 sts, K3.

3rd row - K2, sl 1, K1, pssso, patt to last 2 sts, work 2 tog. Rep 2nd and 3rd rows twice ... 6 (6-8-8) sts

Next row - Patt to last 3 sts, K3.

Next row - As 3rd row.

Rep last 2 rows 0 (0-1-1) time/s ... 4 sts.

Next row - K4, turn, K2, sl 1, K1, pssso, turn, K3, turn, K1, sl 1, K1, pssso, turn, K2, turn, K2 tog. Fasten off.

RIGHT FRONT

Work as for Left Front to **.

1st row (wrong side) - K6 (11-4-7), inc purlways in each of next 2 sts, * K8, inc purlways in each of next 2 sts, rep from * to last 4 sts, K4 ... 38 (43-48-51) sts.

2nd row – P4, K4, * P8, K4, rep from * to last 6 (11–4–7) sts, P6 (11–4–7).

3rd row – K6 (11–4–7), P4, * K8, P4, rep from * to last 4 sts, K4.

4th row – P4, **Cable**, * P8, **Cable**, rep from * to last 6 (11–4–7) sts, P6 (11–4–7).

5th row – As 3rd row.

Rows 2 to 5 incl form patt.

Cont in patt until work measures same as Left Front to armhole, ending with same row patt.

Work 1 row.

Shape raglan armhole – Keeping patt correct, cast off 3 sts at beg of next row.

2nd row – Patt to last 4 sts, K2 tog, K2.

3rd row – K3, patt to end.

4th row – Patt to last 3 sts, K3.

5th row – As 3rd row.

Rep rows 2 to 5 incl 2 (1–0–0) time/s, then 2nd row once ... 31 (37–43–46) sts.

Dec (as before) at end of alt rows until 25 (25–27–27) sts rem.

Work 1 row.

Shape neck – **1st row** – Patt 9, slip these 9 sts on to stitch-holder and leave, patt to last 4 sts, K2 tog, K2.

Cont on these 15 (15–17–17) sts.

2nd row – K3, patt to last 2 sts, work 2 tog.

3rd row – Work 2 tog, patt to last 4 sts, K2 tog, K2.

Rep 2nd and 3rd rows twice ... 6 (6–8–8) sts.

Next row – K3, patt to end.

Next row – As 3rd row.

Rep last 2 rows 0 (0–1–1) time/s ... 4 sts.

Next row – K4, turn, K2 tog, K2, turn, K3, turn, K2 tog, K1, turn, K2, turn, K2 tog.

Fasten off.

SLEEVES

Using 3.00mm Needles, cast on 34 (36–36–38) sts.

Knit 8 rows garter st (1st row is wrong side).

Change to 3.75mm Needles.

1st row (wrong side) – K4 (5–5–6), inc purlways in each of next 2 sts, * K1, inc knitways in next st, K2, inc knitways in next st, K1, inc purlways in each of next 2 sts, rep from * to last 4 (5–5–6) sts, K4 (5–5–6) ... 48 (50–50–52) sts.

2nd row – P4 (5–5–6), K4, * P8, K4, rep from * to last 4 (5–5–6) sts, P4 (5–5–6).

3rd row – K4 (5–5–6), P4, * K8, P4, rep from * to last 4 (5–5–6) sts, K4 (5–5–6).

Keeping patt correct as for Back, as **placed** in last 3 rows and working extra sts into patt as they become available, inc at each end of next and foll 6th (4th–4th–4th) row/s until there are 56 (54–54–62) sts, then in foll 8th (6th–6th–6th) row/s until there are 58 (64–68–74) sts.

Cont without shaping until work measures (approx) 13 (16–19–21) cm (or length desired) from beg, ending with same row patt as Back at armholes.

Shape raglan – Keeping patt correct, cast off 3 sts at beg of next 2 rows.

3rd row – K2, sl 1, K1, pssso, patt to last 4 sts, K2 tog, K2.

4th row – K3, patt to last 3 sts, K3.

Dec (as before) in next and alt rows until 16 (12–8–8) sts rem.

Next row – K2, K2 tog, patt to last 4 sts, K2 tog, K2.

Sizes A and B only – Dec (as before) in every row 4 (2) times.

All Sizes ... 6 sts.

Cast off.

RIGHT SIDE OF HOOD

Using back-stitch, join raglan seams, noting that tops of sleeves form part of neckline. Slip 9 sts from Right Front stitch-holder on to 3.75mm Needle and using same needle, knit up 14 (14–16–16) sts evenly along right side of neck, turn, cast on 30 (34–35–38) sts ... 53 (57–60–63) sts.

1st row (wrong side) – K0 (1–4–7), P1 (4–4–4), (K8, P4) 4 times, K4.

2nd row – P4, (Cable, P8) 4 times, (Cable) 0 (1–1–1) time/s, K1 (0–0–0), P0 (1–4–7).

3rd row – As 1st row.

4th row – P4, (K4, P8) 4 times, K1 (4–4–4), P0 (1–4–7).

Rows 1 to 4 incl form patt.

Cont in patt until hood measures approx 21 (23.5–26–27) cm from beg, ending with a 1st row of patt.

Shape top – Keeping patt correct, cast off 6 sts at beg of next and alt rows 8 (9–9–10) times in all.

Work 1 row.

Cast off rem 5 (3–6–3) sts.

LEFT SIDE OF HOOD

Using 3.75mm Needles, cast on 30 (34–35–38) sts, using needle holding these cast-on sts, knit up 14 (14–16–16) sts evenly along left side of neck, then knit across 9 sts from Left Front stitch-holder ... 53 (57–60–63) sts.

1st row (wrong side) – K4, (P4, K8) 4 times, P1 (4–4–4), K0 (1–4–7).

2nd row – P0 (1–4–7), K1 (0–0–0), (Cable) 0 (1–1–1) time/s, (P8, Cable) 4 times, P4.

3rd row – As 1st row.

4th row – P0 (1–4–7), K1 (4–4–4), (P8, K4) 4 times, P4.

Rows 1 to 4 incl form patt.

Cont in patt until hood measures approx 21 (23.5–26–27) cm from beg, ending with a 2nd row of patt.

Shape top – Complete as for Right Side of Hood.

RIGHT FRONT AND HOOD BAND

Using 3.00mm Needles, cast on 6 sts.

Knit 21 (25–19–27) rows garter st (1st row is wrong side).

***** Next row** – K3, y fwd, K2 tog, K1 ... buttonhole.

Knit 17 (19–19–19) rows. *******

Rep from *** to *** 3 (3–4–4) times, then buttonhole row once ... 5 (5–6–6) buttonholes.


Cont in garter st until band is length required to fit (slightly stretched) along edge of hood, working last row on wrong side.

Cast off.

LEFT FRONT AND HOOD BAND

Work as for Right Front and Hood Band, omitting buttonholes.

MAKE UP

With a slightly damp cloth and warm iron (unless stated otherwise on ball bands), press lightly, taking care not to flatten patt. Using back-stitch, sew cast-off edges of hood pieces tog, then join centre back seam. Sew cast-on edge of hood to back neck and across tops of sleeves, easing in fullness on hood to fit. Join side and sleeve seams. Join ends of front bands tog and sew front bands in position, placing top buttonhole to Right Front at beg of neck shaping and leaving an opening in seam 11 (11–12–12) cm up from lower edge to thread cord through. Sew bias binding to inside of Jacket in line with openings on front band seams, noting to leave front bands free. Using 4 strands of yarn 250 cm long, make a twisted cord (see page 7) and thread through casing at waist, passing ends through openings in seams of fronts on to right side of garment. Sew buttons in position. Press seams. 

4 BABY'S DUFFLE COAT

As illustrated on Page 4

★★P

MEASUREMENTS

Size		A	B	C	D
Approx age	months	3	6	12	18
Fits underarm	cm	40	45	50	52.5
	ins	16	18	20	21
Garment measures	cm	46	52	58	61.5
Length	cm	26	29	33	35.5
Sleeve fits	cm	13	16	19	21

MATERIALS

PATONS DREAM TIME BABY WOOL 4 PLY 25g balls

See page 20 for alternative yarns which may be used.

Quantity 8 9 10 10

Quantities are approximate as they vary between knitters.

IMPORTANT! Use only the yarns specified for this garment.

Other yarns may give unsatisfactory results.



ACCESSORIES – 1 pair each 3.25mm (No 10) and 2.75mm (No 12) Milward Knitting Needles or sizes needed to give correct tension. 2 Stitch Holders; 5 Terries Toggles; 5 Press Studs (optional).

ABBREVIATIONS – See page 20.

TENSION – 29 sts to 10 cm in width over stocking st.

FIRST – CHECK YOUR TENSION.

Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

BACK

Using 2.75mm Needles, cast on 69 (77–85–91) sts.

Knit 7 rows garter st (1st row is wrong side).

Change to 3.25mm Needles.

Work in stocking st until work measures 14.5 (16.5–19–21) cm from beg, ending with a purl row.

Tie a coloured thread at each end of last row to mark beg of armholes as there is no armhole shaping.

Work a further 42 (46–52–54) rows stocking st.

Shape shoulders – Cast off 6 (8–9–10) sts loosely at beg of next 4 rows, then 7 (7–8–9) sts at beg of foll 2 rows.

Cast off rem 31 (31–33–33) sts.

LEFT FRONT

Using 2.75mm Needles, cast on 43 (47–51–54) sts.

Knit 7 rows garter st (1st row is wrong side).

Change to 3.25mm Needles.

1st row – Knit.

2nd row – K5, purl to end.

Rep last 2 rows until work measures same as Back to coloured threads, working last row on wrong side.

Tie a coloured thread at end of last row to mark beg of armhole.

Keeping garter st correct, work a further 26 (30–34–36) rows.

Shape neck – Next row – K29 (33–37–40), slip rem 14 sts on to a stitch-holder and leave, turn.

** Cont on these 29 (33–37–40) sts.

Dec at neck edge in every row until 19 (23–26–29) sts rem.

Work 5 (5–6–6) rows.

Shape shoulder – Cast off 6 (8–9–10) sts loosely at beg of next row and foll alt row.

Work 1 row. Cast off. **

RIGHT FRONT

Using 2.75mm Needles, cast on 43 (47–51–54) sts.

Knit 7 rows garter st (1st row is wrong side).

Change to 3.25mm Needles.

1st row – Knit.

2nd row – Purl to last 5 sts, K5.

Rep last 2 rows until work measures same as Back to coloured threads, working last row on wrong side.

Tie a coloured thread at beg of last row, to mark beg of armhole.

Keeping garter st correct, work a further 26 (30–34–36) rows.

Shape neck – Next row – K14, slip these 14 sts on to stitch-holder and leave, knit to end.

Work as for Left Front from ** to ** working 1 extra row before shoulder shaping.

SLEEVES

Using 2.75mm Needles, cast on 49 (53–59–63) sts.

Knit 40 rows garter st (1st row is wrong side of cuff).

Change to 3.25mm Needles.

Work 4 rows stocking st.

5th row – K2, M1, knit to last 2 sts, M1, K2.

Cont in stocking st, inc (as before) at each end of foll alt (4th–4th–6th) row/s until there are 53 (63–63–75) sts, then in foll 4th (6th–6th–8th) rows until there are 63 (69–77–81) sts.

Cont without shaping until work measures 18 (21–24–26) cm (or 5 cm more than length desired to allow for cuff) from beg, ending with a purl row.

Cast off loosely.

POCKETS (make 2)

Using 3.25mm Needles, cast on 11 (11–13–13) sts.

Work 7 rows stocking st, inc at each end of 3rd and alt rows ... 17 (17–19–19) sts.

Work a further 13 rows stocking st, beg with a purl row.

Change to 2.75mm Needles.

Knit 7 rows garter st.

Cast off loosely.

RIGHT SIDE OF HOOD

Using back-stitch, join shoulder seams. Slip sts from Right Front stitch-holder on to 3.25mm Needle and using same needle, knit up 16 (16–18–18) sts evenly along right side of neck, turn, cast on 21 (25–25–27) sts ... 51 (55–57–59) sts. Keeping garter st correct, cont until Hood measures 21 (23.5–26–27) cm from beg, working last row on wrong side.

Shape top – Cast off 8 sts at beg of next and alt rows 5 (6–6–6) times in all.

Work 1 row.

Cast off rem 11 (7–9–11) sts.

LEFT SIDE OF HOOD


Using 3.25mm Needles, cast on 21 (25–25–27) sts, using needle holding cast-on sts, knit up 16 (16–18–18) sts evenly along left side of neck, then knit across sts from Left Front stitch-holder ... 51 (55–57–59) sts.

Keeping garter st correct, cont until hood measures 21 (23.5–26–27) cm from beg, working last row on right side.



Shape top – Complete as for Right Side of Hood.

MAKE UP

With a slightly damp cloth and warm iron (unless stated

otherwise on ball band), press lightly. Using back-stitch, sew cast-off edges of Hood pieces tog, then join centre back seam. Sew cast on edge of Hood to back neck, easing in fullness to fit. Join side seams to coloured threads. Join sleeve seams reversing seam for 3/4 of cuff. Sew in sleeves. Sew pockets in position. Using yarn double and sts indicated on diagrams (see below) embroider motifs on Fronts (as illustrated). Using yarn double, work large crosses around pockets and along front edges and around hood (as illustrated). Make 5 buttonloops and sew evenly along right front edge, then sew on toggles to match, noting that fronts will overlap for 8 sts. Sew press studs in position to front opening. Turn back cuffs as illustrated. Press seams. 

Above Right Pocket



Top of Left Front






On Left Pocket



Top of Right Front


KEY

-  = Chain Stitch
-  = French Knot
-  = Straight Stitch
-  = Lazy Daisy
-  = Stem Stitch

NOTE: Diagrams shown smaller than actual size.


STEM STITCH

Work from left to right, taking regular small stitches along the line of the design. The thread always emerges on the left side of the previous stitch.




CHAIN STITCH

Bring the thread out at the top of the line and hold it down with left thumb. Insert the needle where it last emerged and bring the point out a short distance away. Pull the thread through, keeping the working thread under the needle point.




FRENCH KNOTS

Bring the thread out at the required position, hold the thread down with the left thumb and encircle the thread twice with the needle (A). Still holding the thread firmly, twist the needle back to the starting point and insert it close to where the thread first emerged. Pull thread through to the back and secure for a single French Knot, or pass on to the position of the next stitch (B).



LAZY DAISY STITCH

Work in the same way as Chain Stitch (A), but fasten each loop at the foot with a small stitch (B). This stitch may be worked singly or in groups to form flower petals.



5 BABY'S JACKET AND HAT

As illustrated on Page 21

★★★ P

MEASUREMENTS

Size		A	B	C	D
Approx age	months	3	6	12	18
Jacket fits underarm	cm	40	45	50	52.5
	ins	16	18	20	21
Garment measures	cm	46	51	57	62
	ins	18	20	22	24
Length	cm	26	29	33	35.5
Sleeve fits	cm	13	16	19	21
Hat fits head	cm	40	45	48	49.5

MATERIALS

PATONS DREAM TIME BABY WOOL 4 PLY 25g balls

See page 20 for alternative yarns which may be used.

Jacket	8	9	10	11
Hat	4	4	5	5

Quantities are approximate as they vary between knitters.

IMPORTANT! Use only the yarns specified for these garments.

Other yarns may give unsatisfactory results.



ACCESSORIES - 1 pair each 3.25mm (No 10) and 2.75mm (No 12) Milward Knitting Needles or sizes needed to give correct tension. A Cable Needle and 5 Terry Buttons for Jacket.

ABBREVIATIONS - See page 20. **Cable B** = Slip next 3 sts on to cable needle and leave at back of work, K3, then K3 from cable needle. **Cable F** = Slip next 3 sts on to cable needle and leave at front of work, K3, then K3 from cable needle.

TENSION - 29 sts to 10 cm in width over stocking st.

FIRST - CHECK YOUR TENSION.

Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

JACKET (Worked in one piece to underarm)

Using 3.25mm Needles, cast on 353 (369-385-401) sts.

NOTE - If this number of sts will not fit comfortably on needle, we suggest using a circular needle. This instruction has been written specifically for the stitch pat given. Using any other stitch may result in a garment which is the wrong shape or size.

1st row (wrong side) - Knit.

2nd row - P1, K6, P2 (3-2-3), (K2, P2) 1 (1-2-2) time/s, K2, P2 (3-2-3), K6, * P2 tog, P1, (K1, P1) 10 times, P2 tog, K6, P2 (3-2-3), (K2, P2) 1 (1-2-2) time/s, K2, P2 (3-2-3), K6, rep from * to last st, P1 ... 339 (355-371-387) sts.

3rd row - K1, P6, K2 (3-2-3), (P2, K2) 1 (1-2-2) time/s, P2, K2 (3-2-3), P6, * K1, (P1, K1) 11 times, P6, K2 (3-2-3), (P2, K2) 1 (1-2-2) time/s, P2, K2 (3-2-3), P6, rep from * to last st, K1.

4th row - P1, K6, P4 (5-4-5), (K2, P2) 1 (1-2-2) time/s, P2 (3-2-3), K6, * P2 tog, K1, (P1, K1) 9 times, P2 tog, K6, P4 (5-4-5), (K2, P2) 1 (1-2-2) time/s, P2 (3-2-3), K6, rep from * to last st, P1.

5th row - K1, P6, K4 (5-4-5), (P2, K2) 1 (1-2-2) time/s, K2 (3-2-3), P6, * K2, (P1, K1) 9 times, K1, P6, K4 (5-4-5), (P2, K2) 1 (1-2-2) time/s, K2 (3-2-3), P6, rep from * to last st, K1.

6th row - P1, **Cable B**, P2 (3-2-3), (K2, P2) 1 (1-2-2) time/s, K2, P2 (3-2-3), **Cable F**, * P2 tog, P1, (K1, P1) 8 times, P2 tog, **Cable B**, P2 (3-2-3), (K2, P2) 1 (1-2-2) time/s, K2, P2 (3-2-3), **Cable F**, rep from * to last st, P1.

7th row - As 3rd row, working (P1, K1) 9 times instead of 11 times.

8th row - As 4th row, working (P1, K1) 7 times instead of 9 times.

9th row - As 5th row, working (P1, K1) 7 times instead of 9 times.

10th row - As 2nd row, working (K1, P1) 6 times instead of 10 times.

11th row - As 3rd row, working (P1, K1) 7 times instead of 11 times.

12th row - As 4th row, working (P1, K1) 5 times instead of 9 times.

13th row - As 5th row, working (P1, K1) 5 times instead of 9 times.

14th row - As 6th row, working (K1, P1) 4 times instead of 8 times.

15th row - As 3rd row, working (P1, K1) 5 times instead of 11 times.

16th row - As 4th row, working (P1, K1) 3 times instead of 9 times.

17th row - As 5th row, working (P1, K1) 3 times instead of 9 times.

18th row - As 2nd row, working (K1, P1) twice instead of 10 times.

19th row - As 3rd row, working (P1, K1) 3 times instead of 11 times.

20th row - As 4th row, working (P1, K1) once only instead of 9 times.

21st row - As 5th row, working (P1, K1) once only instead of 9 times.

22nd row - P1, **Cable B**, P2 (3-2-3), (K2, P2) 1 (1-2-2) time/s, K2, P2 (3-2-3), **Cable F**, * P2 tog, P1, P2 tog, **Cable B**, P2 (3-2-3), (K2, P2) 1 (1-2-2) time/s, K2, P2 (3-2-3), **Cable F**, rep from * to last st, P1.

23rd row - As 3rd row, working (P1, K1) once only instead of 11 times.

24th row - P1, K6, P4 (5-4-5), (K2, P2) 1 (1-2-2) time/s, P2 (3-2-3), K6, * P3 tog, K6, P4 (5-4-5), (K2, P2) 1 (1-2-2) time/s, P2 (3-2-3), K6, rep from * to last st, P1 ... 185 (201-217-233) sts.

25th row - K1, P6, K4 (5-4-5), (P2, K2) 1 (1-2-2) time/s, K2 (3-2-3), P6, * K1, P6, K4 (5-4-5), (P2, K2) 1 (1-2-2) time/s, K2 (3-2-3), P6, rep from * to last st, K1.

Begin main patt - **1st row** - P1, K6, P2 (3-2-3), (K2, P2) 1 (1-2-2) time/s, K2, P2 (3-2-3), K6, * P1, K6, P2 (3-2-3), (K2, P2) 1 (1-2-2) time/s, K2, P2 (3-2-3), K6, rep from * to last st, P1.

2nd and alt rows – Knit all knit sts and purl all purl sts as they appear.

3rd row – P1, K6, P4 (5-4-5), (K2, P2) 1 (1-2-2) time/s, P2 (3-2-3), K6, * P1, K6, P4 (5-4-5), (K2, P2) 1 (1-2-2) time/s, P2 (3-2-3), K6, rep from * to last st, P1.

5th row – P1, **Cable B**, P2 (3-2-3), (K2, P2) 1 (1-2-2) time/s, K2, P2 (3-2-3), **Cable F**, * P1, **Cable B**, P2 (3-2-3), (K2, P2) 1 (1-2-2) time/s, K2, P2 (3-2-3), **Cable F**, rep from * to last st, P1.

7th row – As 3rd row.

8th row – As 2nd row.

Rows 1 to 8 incl form main patt.

Cont in main patt until work measures 14.5 (16.5-19-20.5) cm from beg, working last row on wrong side.

Divide for Back and Fronts – **Next row** – Patt 39 (43-47-51), cast off next 15 sts, patt 77 (85-93-101), cast off next 15 sts, patt to end.

Cont on last 39 (43-47-51) sts for **Left Front**.

Work a further 32 (36-40-46) rows patt.

Shape neck – Cast off 11 sts at beg of next row ... 28 (32-36-40) sts.

Keeping patt correct, dec at neck edge in every row until 19 (22-25-29) sts rem.

Work 3 (2-3-3) rows patt.

Shape shoulder – Cast off 6 (7-8-10) sts loosely at beg of next row and foll alt row.

Work 1 row. Cast off.

With wrong side facing, join yarn to next 77 (85-93-101) sts for **Back**.

Work a further 45 (49-55-61) rows patt.

Shape shoulders – Cast off 6 (7-8-10) sts loosely at beg of next 4 rows, then 7 (8-9-9) sts at beg of foll 2 rows.

Cast off rem 39 (41-43-43) sts.

With wrong side facing, join yarn to rem sts for **Right Front**.

Work a further 31 (35-39-45) rows patt.

Shape neck – Cast off 11 sts at beg of next row ... 28 (32-36-40) sts.

Work 1 row.

Dec at neck edge in every row until 19 (22-25-29) sts rem.

Work 4 (3-4-4) rows patt.

Shape shoulder – Complete as for Left Front.

SLEEVES

Using 2.75mm Needles, cast on 43 (45-47-51) sts.

1st row – K1, * P1, K1, rep from * to end.

Rep 1st row 10 times (11 rows moss st in all).

Next row – Moss st 1 (2-1-3), * inc in next st, moss st 1, rep from * to last 2 (3-2-4) sts, inc in next st, moss st 1 (2-1-3) ... 64 (66-70-74) sts.

Change to 3.25mm Needles.

1st row – K4 (2-1-0), P2 (3-2-3), (K2, P2) 1 (1-2-2) time/s, K2, P2 (3-2-3), * K6, P1, K6, P2 (3-2-3), (K2, P2) 1 (1-2-2) time/s, K2, P2 (3-2-3), rep from * to last 4 (2-1-0) st/s, K4 (2-1-0).

2nd row – Knit all knit sts and purl all purl sts as they appear. Keeping patt correct (as for main patt of **Jacket**), as placed in last 2 rows and working extra sts into patt as they become available, inc at each end of next and foll 6th (4th-4th-4th) row/s until there are 70 (70-78-82) sts, then in foll 8th (6th-6th-6th) rows until there are 74 (82-92-98) sts.

Cont without shaping until work measures 13 (16-19-21) cm (or length desired) from beg, working last row on wrong side.

Tie a coloured thread at each end of last row to mark end of sleeve seam.

Work a further 8 rows patt, to sew to sts cast-off at armholes. Cast off loosely.

COLLAR

Using 2.75mm Needles, cast on 87 (91-99-99) sts.

Work 22 rows moss st as for Sleeves.

Keeping moss st correct, cast off 6 sts at beg of next 8 rows ... 39 (43-51-51) sts.

Next row – Work 0 (1-0-0), * work 1, work 2 tog, rep from * to end ... 26 (29-34-34) sts.

Cast off.

RIGHT FRONT BAND

With right side facing and using 2.75mm Needles, knit up 59 (67-77-85) sts evenly along edge of Right Front.

Work 4 rows moss st as for Sleeves.

5th row – Moss st 3, cast off 2 sts, * moss st 10 (12-14-16), cast off 2 sts, rep from * to last 6 (6-8-8) sts, moss st 6 (6-8-8).

6th row – Moss st 6 (6-8-8), turn, cast on 2 sts, turn, * moss st 10 (12-14-16), turn, cast on 2 sts, turn, rep from * to last 3 sts, moss st 3 ... 5 buttonholes.

Work 4 rows moss st.

Cast off knitways.

LEFT FRONT BAND

Work to correspond with Right Front Band, omitting buttonholes.

MAKE UP

DO NOT PRESS. Using back-stitch, join shoulder and sleeve seams to coloured threads. Sew in sleeves, placing centre of sleeves to shoulder seams and extra rows above coloured threads on sleeves to sts cast-off at underarm on Jacket. Sew cast-off edge of collar in position, leaving front bands free. Sew on buttons.

HAT

Using 2.75mm Needles, cast on 29 (31-31-33) sts.

Work 3 rows moss st as for Sleeves of **Jacket**.

Next row – Moss st 3 (3-2-2), * inc in next st, moss st 1, rep from * to last 2 (2-1-1) st/s, moss st 2 (2-1-1) ... 41 (44-45-48) sts.

Change to 3.25mm Needles.

1st row – (P1, K6) twice, P2 (3-2-3), (K2, P2) 1 (1-2-2) time/s, K2, P2 (3-2-3), K6, P1, K6, P2 (3-2-3), K2.

2nd and alt rows – Knit all knit sts and purl all purl sts as they appear.

3rd row – (P1, K6), P4 (5-4-5), (K2, P2) 1 (1-2-2) time/s, P2 (3-2-3), K6, P1, K6, P4 (5-4-5).

5th row – P1, **Cable F**, P1, **Cable B**, P2 (3-2-3), (K2, P2) 1 (1-2-2) time/s, K2, P2 (3-2-3), **Cable F**, P1, **Cable B**, P2 (3-2-3), K2.

7th row – As 3rd row.

8th row – As 2nd row.

Rows 1 to 8 incl form patt.

Keeping patt correct and working extra sts into patt as they become available, inc at end of next and foll 4th rows until there are 47 (55-57-61) sts, then in alt rows until there are 68 (72-76-80) sts.

Work 3 rows patt.

Dec at end of next and alt rows until 46 (54-56-60) sts rem, then in foll 4th rows until 41 (44-45-48) sts rem.

Work 8 rows patt.

Next row – Patt 3 (3-2-2), * work 2 tog, patt 1, rep from * to last 2 (2-1-1) st/s, patt 2 (2-1-1) ... 29 (31-31-33) sts.

Change to 2.75mm Needles.

Work 4 rows moss st.

Cast off knitways.

With right side facing and using 2.75mm Needles, knit up 87 (99-113-117) sts evenly along straight edge of hood.

Work 18 rows moss st.

Cast off knitways.

Continued on page 19

6 BABY'S JACKET AND BONNET

As illustrated on Page 22

★★★ P

MEASUREMENTS

Size		A	B	C	D
Approx age	months	3	6	12	18
Jacket fits underarm	cm	40	45	50	52.5
	ins	16	18	20	21
Length	cm	30	33	36	39.5
Sleeve fits	cm	13	16	19	21
Bonnet fits head	cm	40	45	48	49.5

MATERIALS

PATONS DREAM TIME BABY WOOL 3 PLY 25g balls

See page 20 for alternative yarns which may be used.

Jacket	7	8	8	8
Bonnet	2	2	2	2

Quantities are approximate as they vary between knitters.

IMPORTANT! Use only the yarns specified for these garments.

Other yarns may give unsatisfactory results.

ACCESSORIES - 1 pair each 3.00mm (No 11) and 2.25mm (No 13) Milward Knitting Needles or sizes needed to give correct tension. 2.50mm (No 12) Milward Crochet Hook; 5 Terries Buttons for **Jacket**; Length of Ribbon for **Bonnet**.

ABBREVIATIONS - See page 20. **KL** = Insert needle under 3 loops and into next st and knit them all tog.

TENSION - 31 sts to 10 cm in width over stocking st.

FIRST - CHECK YOUR TENSION.

Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

JACKET

BACK

Using 2.25mm Needles, cast on 126 (142-158-164) sts.

Knit 9 rows garter st (1st row is wrong side).

Change to 3.00mm Needles.

Work in stocking st until work measures 18.5 (20-23-24.5) cm from beg, ending with a purl row.

Shape armholes - Cast off 5 (6-7-7) sts at beg of next 2 rows ... 116 (130-144-150) sts.

Next row - K5 (10-9-12), * K2 tog, rep from * to last 5 (10-9-12) sts, K5 (10-9-12) ... 63 (75-81-87) sts.

NOTE - This instruction has been written specifically for the stitch pattern given. Using any other stitch may result in a garment which is the wrong shape or size.

Beg patt (**NOTE** - Always slip sts purlways in patt, carrying yarn loosely across on **right** side.) - **1st row** (wrong side) - Knit.

2nd row - P3, * sl 3, P3, rep from * to end.

3rd row - K3, * sl 3, K3, rep from * to end.

4th row - As 2nd row.

5th row - Knit.

6th row - Purl.

7th row - Knit.

8th row - P4, * **KL**, P5, rep from * to last 5 sts, **KL**, P4.

9th row - Knit.

10th row - P1, sl 2, * P3, sl 3, rep from * to last 6 sts, P3, sl 2, P1.

11th row - K1, sl 2, * K3, sl 3, rep from * to last 6 sts, K3, sl 2, K1.

12th row - As 10th row.

Rep rows 5 to 7 incl once.

16th row - P1, * **KL**, P5, rep from * to last 2 sts, **KL**, P1.

Rows 1 to 16 incl form patt.

Work a further 57 (65-73-81) rows patt.

Cast off loosely.

LEFT FRONT

Using 2.25mm Needles, cast on 65 (73-81-84) sts.

Knit 9 rows garter st (1st row is wrong side).

Change to 3.00mm Needles.

Work in stocking st until work measures same as Back to armholes, ending with a purl row. **

Shape armhole - Cast off 5 (6-7-7) sts at beg of next row ... 60 (67-74-77) sts.

Work 1 row.

Next row - K5 (10-9-12), * K2 tog, rep from * to last st, K1 ... 33 (39-42-45) sts.

Beg patt - **1st row** (wrong side) - Knit.

2nd row - P3, * sl 3, P3, rep from * to last 0 (0-3-0) sts, (sl 2, P1) 0 (0-1-0) time/s.

3rd row - (K1, sl 2) 0 (0-1-0) time/s, K3, * sl 3, K3, rep from * to end.

4th row - As 2nd row.

5th row - Knit.

6th row - Purl.

7th row - Knit.

8th row - P4, * **KL**, P5, rep from * to last 5 (5-2-5) sts, **KL**, P4 (4-1-4).

Cont in patt as for Back, as **placed** in last 8 rows, for a further 32 (40-48-56) rows.

Shape neck - Keeping patt correct, cast off 8 (9-10-11) sts at beg of next row.

Work 2 rows patt.

*** Dec at neck edge in next and alt rows until 16 (21-23-25) sts rem.

Work 13 rows patt.

Cast off loosely. ***

RIGHT FRONT

Work as for Left Front to **, working 1 extra row.

Shape armhole - Cast off 5 (6-7-7) sts at beg of next row ... 60 (67-74-77) sts.

Next row - K1, * K2 tog, rep from * to last 5 (10-9-12) sts, K5 (10-9-12) ... 33 (39-42-45) sts.

Beg patt - **1st row** (wrong side) - Knit.

2nd row - (P1, sl 2) 0 (0-1-0) time/s, P3, * sl 3, P3, rep from * to end.

3rd row - K3, * sl 3, K3, rep from * to last 0 (0-3-0) sts, (sl 2, K1) 0 (0-1-0) time/s.



4th row – As 2nd row.

5th row – Knit.

6th row – Purl.

7th row – Knit.

8th row – P4 (4-1-4), * **KL**, P5, rep from * to last 5 sts, **KL**, P4.

Cont in patt as for Back, as **placed** in last 8 rows for a further 33 (41-49-57) rows.

Shape neck – Keeping patt correct, cast off 8 (9-10-11) sts at beg of next row.

Work 1 row patt.

Work as from *** to *** for Left Front.

SLEEVES

Using 3.00mm Needles, cast on 39 (39-45-45) sts.

Work 16 rows patt as for Back.

Next row – K5 (1-6-2), * inc in next st, K1, rep from * to last 4 (0-5-1) st/s, K4 (0-5-1) ... 54 (58-62-66) sts.

Work 4 rows stocking st.

5th row – K2, **M1**, knit to last 2 sts, **M1**, K2.

Cont in stocking st, inc (as before) at each end of foll 4th rows until there are 64 (74-74-76) sts, **Sizes C and D only** – then in foll 6th rows until there are (80-86) sts.

All Sizes – Cont without shaping until work measures 13 (16-19-21) cm from beg, ending with a purl row.

Tie a coloured thread at each end of last row to mark end of sleeve seam.

Work 6 (8-10-10) rows stocking st to sew to sts cast off at armholes.

Cast off 8 sts loosely at beg of next 6 (6-8-8) rows.

Cast off rem sts.

COLLAR

Using 3.00mm Needles, cast on 94 (98-102-106) sts.

Work 21 (21-23-23) rows stocking st.

Next row – P2, * P2 tog, P2, rep from * to end ... 71 (74-77-80) sts.

Cast off 6 sts loosely at beg of next 6 rows.

Cast off rem sts.

RIGHT FRONT BAND

With right side facing and using 2.25mm Needles, knit up 62 (68-76-82) sts evenly along right front edge to beg of patt, then 20 (24-26-30) sts evenly to neckline ... 82 (92-102-112) sts.

Knit 3 rows garter st.

4th row – * K14 (16-18-20), cast off 2 sts, rep from * to last 2 sts, K2.

5th row – K2, * turn, cast on 2 sts, turn, K14 (16-18-20), rep from * to end ... 5 buttonholes.

Knit 3 rows garter st. Cast off loosely.

LEFT FRONT BAND

Work to correspond with Right Front Band, omitting buttonholes.

CROCHET EDGING

With right side facing and using Hook, work 1 row dc evenly around side and cast-on edges of collar, taking care not to stretch work and having a number of dc divisible by 3.

2nd row – 1 ch, * 1 dc in next dc, 3 tr in next dc, 1 dc in next dc, rep from * to end. Fasten off.

Work same edging around lower edge of sleeves.

MAKE UP

With a slightly damp cloth and warm iron (unless stated otherwise on ball band), press lightly, taking care not to flatten patt. Using back-stitch, join side, shoulder and sleeve seams to coloured threads. Sew in sleeves, placing rows above coloured threads to sts cast off at armholes. Using a flat seam, sew collar in position, beg and ending at centre of front bands. Sew on buttons. Press seams.

BONNET

FRONT PIECE (beg at face)

Using 3.00mm Needles, cast on 75 (87-99-99) sts.

Work 16 rows patt as for Back of **Jacket**.

Next row – K4 (6-9-6), inc in each st to last 4 (6-9-6) sts, K4 (6-9-6) ... 142 (162-180-186) sts.

Work 20 (22-24-24) rows stocking st.

Shape back (**NOTE** – When turning, bring yarn to front of work, slip next st on to right-hand needle, y bk, slip st back on to left-hand needle, then turn and proceed as instructed – this avoids holes in work) – **1st and 2nd rows** – Work to last 8 (9-10-10) sts, turn.

3rd and 4th rows – Work to last 16 (18-20-20) sts, turn.

5th and 6th rows – Work to last 24 (27-30-30) sts, turn.

7th and 8th rows – Work to last 32 (36-40-40) sts, turn.

9th and 10th rows – Work to last 40 (45-50-50) sts, turn.

11th and 12th rows – Work to last 48 (54-60-60) sts, turn.

13th row – Knit to end.

14th row – * P2 tog, rep from * to end ... 71 (81-90-93) sts.

Cast off loosely.

BACK PIECE (beg at neck)


Using 3.00mm Needles, cast on 20 (23-26-27) sts.

Work in stocking st, inc at each end of 9th row and foll 8th row ... 24 (27-30-31) sts.

Work a further 13 (15-17-17) rows stocking st.


Shape top – Dec at each end of next and alt rows until 16 (17-18-19) sts rem, then in every row until 10 (11-12-13) sts rem. Cast off loosely.

MAKE UP

With a slightly damp cloth and warm iron (unless stated otherwise on ball band), press lightly, taking care not to flatten patt. Using back-stitch, sew cast-off edge of front piece around edge of back piece (leaving cast-on edge free). With right side facing and using 2.25mm Needles, knit up 60 (65-70-71) sts evenly along neck edge. Knit 4 rows garter st. Cast off loosely. Work crochet edging as for **Jacket** around face edge. Sew ribbon in position. Press seams. 

BACK-STITCH SEAM

This is the method most commonly used for joining knitted garments. Hold the pieces together with right sides inside. The seam should be sewn one full stitch in from the end of each row so that all seams will be even. One stitch should be worked over every row. Darn in all ends of yarn **after** sewing seams.



7 BABY'S CARDIGAN AND HAT

As illustrated on Page 23

★★P

MEASUREMENTS

Size		A	B	C	D
Approx age	months	3	6	12	18
Cardigan fits underarm	cm	40	45	50	52.5
	ins	16	18	20	21
Garment measures	cm	44	50	56	59.5
Length (approx)	cm	24	27	31	33.5
Sleeve fits	cm	13	16	19	21
Hat fits head	cm	40	45	48	49.5

MATERIALS

PATONS DREAM TIME BABY WOOL 3 PLY 25g balls

See page 20 for alternative yarns which may be used.

Cardigan	4	5	6	7
Hat	2	2	3	3

Quantities are approximate as they vary between knitters.

IMPORTANT! Use only the yarns specified for these garments.

Other yarns may give unsatisfactory results.

ACCESSORIES - 1 pair each 3.00mm (No 11) and 2.25mm (No 13) Milward Knitting Needles or sizes needed to give correct tension. 2 Terries Buttons and (if desired) 2 Press Studs for Cardigan.

ABBREVIATIONS - See page 20.

TENSION - 34 sts and 41 rows to 10 cm over patt.

FIRST - CHECK YOUR TENSION.

Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

CARDIGAN

BACK

Using 3.00mm Needles, cast on 77 (87-97-103) sts.

NOTE - This instruction has been written specifically for the stitch pattern given. Using any other stitch may result in a garment which is the wrong shape or size.

Work 46 (54-64-72) rows patt from Graph (see opposite).

Tie a coloured thread at each end of last row to mark beg of armholes as there is no armhole shaping.

Work a further 46 (50-56-58) rows patt.

Shape shoulders - Keeping patt correct, cast off 7 (9-10-11) sts loosely at beg of next 4 rows, then 8 (8-11-12) sts at beg of foll 2 rows.

Cast off rem 33 (35-35-35) sts.

LEFT FRONT

Using 3.00mm Needles, cast on 14 (15-16-17) sts.

Work 1 row patt from Graph.

Shape for curve - 2nd row - Cast on 3 sts, patt to end.

3rd row - Patt to last st, inc in last st.

Rep 2nd and 3rd rows 6 (7-8-8) times ... 42 (47-52-53) sts.

Keeping patt correct, inc at shaped edge (front edge) in every row until there are 51 (58-65-70) sts (completion of curve).

Work 2 rows patt.

**** Shape front slope** - Dec at front edge in next and alt rows until 41 (46-50-53) sts rem.

Work 1 row.

Tie a coloured thread at end of last row to mark beg of armhole.

Dec at front edge in next and alt rows until 25 (30-39-43) sts rem, then in foll 4th rows until 22 (26-31-34) sts rem.

Work 3 rows patt.

Shape shoulder - Cast off 7 (9-10-11) sts loosely at beg of next row and foll alt row. Work 1 row. Cast off. **

RIGHT FRONT

Using 3.00mm Needles, cast on 14 (15-16-17) sts.

Work 1 row patt from Graph.

Shape for curve - 2nd row - Patt to last st, inc in last st.

3rd row - Cast on 3 sts, patt to end.

Rep 2nd and 3rd rows 6 (7-8-8) times ... 42 (47-52-53) sts.

Keeping patt correct, inc at shaped edge (front edge) in every row until there are 51 (58-65-70) sts (completion of curve).

Next row - Patt 2, cast off 2 sts, patt 17 (21-25-29), cast off 2 sts, patt to end.

Next row - Patt to last 19 (23-27-31) sts, turn, cast on 2 sts, turn, patt 17 (21-25-29), turn, cast on 2 sts, turn, patt 2 ... 2 buttonholes.

Work as for Left Front from ** to **, tying coloured thread at beg of row instead of end and working 4 rows instead of 3 before shoulder shaping.

SLEEVES

Using 2.25mm Needles, cast on 49 (51-55-59) sts.

1st row - K2, * P1, K1, rep from * to last st, K1.

2nd row - K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows 3 times, inc 4 (6-6-6) sts evenly across last row ... 53 (57-61-65) sts, 8 rows rib in all.

Change to 3.00mm Needles.

Working in patt from Graph and working extra sts into patt, inc at each end of 5th and foll alt (alt-alt-4th) rows until there are 63 (63-69-87) sts, then in foll 4th (4th-4th-6th) rows until there are 73 (81-91-93) sts.

Cont without shaping until work measures 13 (16-19-21) cm from beg, working last row on wrong side.

Cast off loosely

LOWER BAND

Using back-stitch, join shoulder and side seams to coloured threads. With right side facing, using 2.25mm Needles and beg at completion of curve on left front, knit up 44 (51-58-62) sts evenly along curve to cast-on edge, 99 (111-123-131) sts along cast-on edge of fronts and back, then 44 (51-58-62) sts evenly along right front edge to completion of curve ... 187 (213-239-255) sts.

(NOTE - If this number of sts will not fit comfortably on needle, we suggest using a circular needle.)

1st row - Inc in first st, P1, * K1, P1, rep from * to last st, inc in last st.

Rep 1st row 6 times ... 201 (227-253-269) sts.

Cast off loosely in rib.



FRONT BAND

With right side facing and using 2.25mm Needles, knit up 173 (191-215-227) sts evenly along rem front edges and across back neck.

Work as for Lower band, noting that there will be 187 (205-229-241) sts at end.

MAKE UP

With a slightly damp cloth and warm iron (unless stated otherwise on ball band), press lightly, taking care not to flatten patt. Using back-stitch, join sleeve seams. Sew in sleeves. Using a flat seam, join mitred corners of bands. Sew on buttons. If desired, sew press studs in position where fronts cross to keep them flat. Press seams.

HAT

Using 2.25mm Needles, cast on 127 (141-151-155) sts. Work 26 rows rib as for Sleeves of **Cardigan** (1st row is right side of brim).

27th row - Rib 3 (5-3-3), inc in next st, * rib 10 (9-10-9), inc in next st, rep from * to last 2 (5-4-1) st/s, rib 2 (5-4-1) ... 139 (155-165-171) sts.

Change to 3.00mm Needles.

NOTE - This instruction has been written specifically for the stitch pattern given. Using any other stitch may result in a garment which is the wrong shape or size.


Work in patt from Graph until work measures 13.5 (14.5-15.5-16.5) cm from top of rib, working last row on wrong side.

Next row - Patt 1 (2-0-0), * work 3 tog, rep from * to end ... 47 (53-55-57) sts.

Break off yarn, run end through rem sts, draw up tightly and fasten off securely.

MAKE UP

With a slightly damp cloth and warm iron (unless stated otherwise on ball band), press lightly, taking care not to flatten patt. Using back-stitch, join seam, reversing for 3/4 of rib for brim. Make a small pompon (see page 7) and sew to top of hat. Turn back brim. 🍷



- = Knit st on right side rows (odd number) and purl st on wrong side rows (even number).
 ☒ = Purl st on right side rows and knit st on wrong side rows.

NOTE — When working from Graph read odd numbered rows from right to left and even numbered rows from left to right.

8 BABY'S HOODED JACKET

As illustrated on Back Cover

★★

MEASUREMENTS

Size		A	B	C	D
Approx age	months	3	6	12	18
Fits underarm	cm	40	45	50	52.5
	ins	16	18	20	21
Garment measures					
(at armholes)	cm	43	49	55	58
Length approx)	cm	26	29	33	35.5
Sleeve fits	cm	13	16	19	21
		(or length desired)			

MATERIALS

PATONS BLUEBELL CREPE 5 PLY 50g balls

See page 20 for alternative yarns which may be used.

Quantity 5 5 6 6

Quantities are approximate as they vary between knitters.

IMPORTANT! Use only the yarns specified for this garment.

Other yarns may give unsatisfactory results.



ACCESSORIES - 1 pair each 3.75mm (No 9) and 3.00mm (No 11) Milward Knitting Needles or sizes needed to give correct tension. 8 Terries Buttons.

ABBREVIATIONS - See page 20.

TENSION - 26.5 sts to 10cm in width over stocking st.

FIRST - CHECK YOUR TENSION.

Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

BACK

Using 3.75mm Needles, cast on 81 (91-105-111) sts.

1st row - K2, * P1, K1, rep from * to last st, K1.

2nd row - K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows twice ... 6 rows rib in all.

Working in stocking st, dec at each end of 3rd row and foll 4th rows until 59 (67-75-79) sts rem.

Work 3 (3-1-1) row/s.

Shape armholes - Cast off 2 (3-3-4) sts at beg of next 2 rows.

Dec at each end of next and alt row/s until 51 (57-63-65) sts rem.

Work 35 (41-43-47) rows stocking st.

Shape shoulders - Cast off 6 (7-8-9) sts loosely at beg of next 2 rows, then 6 (7-8-8) sts at beg of foll 2 rows.

Cast off rem 27 (29-31-31) sts.

LEFT FRONT

Using 3.75mm Needles, cast on 33 (39-45-49) sts.

Work 6 rows rib as for Back, dec 0 (1-0-1) st/s in centre of last row ... 33 (38-45-48) sts. **

Working in stocking st, dec at beg of 3rd row and foll 4th rows until 22 (26-30-32) sts rem.

Work 3 (3-1-1) row/s.

Shape armhole - Cast off 2 (3-3-4) sts at beg of next row. Work 1 row.

Dec at beg of next and alt row/s until 18 (21-24-25) sts rem. Work 21 (25-25-29) rows stocking st.

Shape neck - Dec at end of next and alt rows until 12 (14-16-17) sts rem.

Work 3 rows.

Shape shoulder - Cast off 6 (7-8-9) sts loosely at beg of next row.

Work 1 row. Cast off.

RIGHT FRONT

Work as for Left Front to **.

Working in stocking st, dec at end of 3rd and foll 4th rows until 22 (26-30-32) sts rem.

Work 4 (4-2-2) rows.

Shape armhole - Cast off 2 (3-3-4) sts at beg of next row. Dec at end of next and alt row/s until 18 (21-24-25) sts rem.

Work 21 (25-25-29) rows stocking st.

Shape neck - Dec at beg of next and alt rows until 12 (14-16-17) sts rem.

Work 4 rows.

Shape shoulder - Cast off 6 (7-8-9) sts loosely at beg of next row.

Work 1 row. Cast off.

SLEEVES

Using 3.00mm Needles, cast on 37 (41-43-45) sts.

Work 6 rows rib as for Back.

Change to 3.75mm Needles.

Work 2 rows stocking st.

3rd row - K2, M1, knit to last 2 sts, M1, K2.

Cont in stocking st, inc (as before) at each end of foll 6th (8th-8th-10th) rows until there are 45 (49-49-55) sts, then in foll 8th (10th-10th-12th) row/s until there are 47 (51-55-57) sts.

Cont without shaping until work measures 13 (16-19-21) cm (or length desired) from beg, ending with a purl row.

Shape top - Cast off 2 sts at beg of next 2 rows.

Dec at each end of next and alt rows until 21 sts rem, then in every row until 11 sts rem.

Cast off.

FRONT BANDS AND HOOD (worked in one piece)

Using 3.00mm Needles, cast on 25 sts.

Work 8 (10-10-12) rows rib as for Back.

*** **Next row** - Rib 4, cast off 2 sts, rib 13, cast off 2 sts, rib 4.

Next row - Rib 4, turn, cast on 2 sts, turn, rib 13, turn, cast on 2 sts, turn, rib 4.

Work 18 (20-24-26) rows rib. ***

Rep from *** to *** twice, then buttonhole rows once.

Work 8 rows rib.


Shape for hood - Keeping rib correct, inc at end of next row and at same edge in every row until there are 38 (40-42-42) sts.

Cast on 33 (35-37-41) sts at beg of next row (these cast-on sts will be sewn to half of back neck) ... 71 (75-79-83) sts.

Tie a coloured thread at each end of last row.

Cont in rib until work measures 42 (47-52-54) cm from coloured threads, working last row on right side.
Cast off 33 (35-37-41) sts at beg of next row (these cast-off sts will be sewn to half of back neck) ... 38 (40-42-42) sts.
Dec at end of next row and at same edge in every row until 25 sts rem.
Work 79 (87-99-107) rows rib.
Cast off in rib.

MAKE UP

With a slightly damp cloth and warm iron (unless stated otherwise on ball band), press lightly. Using back-stitch, join shoulder, side and sleeve seams. Sew in sleeves. Join centre back seam of hood. Sew hood and front bands in position, placing shaped rows on front bands to neck shaping and cast-on/cast-off sts on hood to back neck of jacket, easing in fullness on hood to fit. Sew buttons in position. Press seams. 

1

Continued from Page 5

Work 4 rows stocking st.

5th row - K2, M1, knlt to last 2 sts, M1, K2.

Cont in stocking st, inc (as before) at each end of foll 4th rows until there are 48 (54-60-66) sts, then in alt row/s until there are 52 (56-64-68) sts.

Work 3 rows stocking st.

Cast off very loosely.

NECKBAND

Using back-stitch, join shoulder seams. With right side facing, slip sts from right front stitch-holder on to a needle, using same needle knit up 40 (40-44-45) sts evenly around neck, incl sts from back stitch-holder and dec 4 sts evenly across stitch-holder, then knit across sts from left front stitch-holder ... 56 (56-60-61) sts.

Knit 4 rows garter st, working a buttonhole (as before) in 2nd row.

Cast off loosely.

MAKE UP

With a slightly damp cloth and warm iron (unless stated otherwise on ball band), press lightly. Using back-stitch, join sleeve seams, then sew in sleeves. Sew on buttons. Using a piece of cardboard 2.5 cm in diameter with a 1.2 cm

hole, make 8 pom-poms (see page 7), and sew to lower points. Press seams.

HAT

Using 4.00mm Needles, cast on 67 (77-82-87) sts.

Knit 21 rows garter st (1st row is wrong side of brim).

22nd row - K2, * inc in next st, K4, rep from * to end ... 80 (92-98-104) sts.

Work 22 (24-26-28) rows stocking st.

Shape crown - 1st row - K1, * K2 tog, K11 (13-14-15), rep from * to last st, K1 ... 74 (86-92-98) sts.

2nd and 4th rows - Purl.


3rd row - K1, * K2 tog, K10 (12-13-14), rep from * to last st, K1 ... 68 (80-86-92) sts.

5th row - K1, * K2 tog, K9 (11-12-13), rep from * to last st, K1 ... 62 (74-80-86) sts.

Cont dec in this manner (working one st less between dec each time) in alt rows until 44 (50-56-62) sts rem, then in foll 6th rows until 8 sts rem.

Break off yarn, run end through rem sts, draw up tightly and fasten off securely.

MAKE UP


With a slightly damp cloth and warm iron (unless stated otherwise on ball band), press lightly. Using back-stitch, join seam, reversing for garter st brim. Press seam. Turn back brim for 3 cm. Make a pom-pon as for **Jacket** and sew to end of hat. 

5

Continued from Page 13

MAKE UP

DO NOT PRESS. Using back-stitch, join centre back seam of

hat. Using 4 strands of yarn 100 cm long for each, make 2 twisted cords (see page 7) and attach one to each side of hat. Using 12 strands of yarn 20 cm long for each, make 5 plaits and attach to point of hat, trimming and knotting ends to form tassles (as illustrated). 

THE Patons HAND KNIT STAR ★ RATINGS TO HELP YOU CHOOSE THE PATTERN SUITED TO YOUR KNITTING ABILITY

★ beginner level

★★ easy knits


★★★ advanced knitters

★★★★ challenge knit

P The letter P after any star grouping suggests that an additional degree of patience is required for a quality finish.

Cont in rib until work measures 42 (47-52-54) cm from coloured threads, working last row on right side.
 Cast off 33 (35-37-41) sts at beg of next row (these cast-off sts will be sewn to half of back neck) ... 38 (40-42-42) sts.
 Dec at end of next row and at same edge in every row until 25 sts rem.
 Work 79 (87-99-107) rows rib.
 Cast off in rib.

MAKE UP

With a slightly damp cloth and warm iron (unless stated otherwise on ball band), press lightly. Using back-stitch, join shoulder, side and sleeve seams. Sew in sleeves. Join centre back seam of hood. Sew hood and front bands in position, placing shaped rows on front bands to neck shaping and cast-on/cast-off sts on hood to back neck of jacket, easing in fullness on hood to fit. Sew buttons in position. Press seams. 

1

Continued from Page 5

Work 4 rows stocking st.

5th row - K2, M1, knlt to last 2 sts, M1, K2.

Cont in stocking st, inc (as before) at each end of foll 4th rows until there are 48 (54-60-66) sts, then in alt row/s until there are 52 (56-64-68) sts.

Work 3 rows stocking st.

Cast off very loosely.

NECKBAND

Using back-stitch, join shoulder seams. With right side facing, slip sts from right front stitch-holder on to a needle, using same needle knit up 40 (40-44-45) sts evenly around neck, incl sts from back stitch-holder and dec 4 sts evenly across stitch-holder, then knit across sts from left front stitch-holder ... 56 (56-60-61) sts.

Knit 4 rows garter st, working a buttonhole (as before) in 2nd row.

Cast off loosely.

MAKE UP

With a slightly damp cloth and warm iron (unless stated otherwise on ball band), press lightly. Using back-stitch, join sleeve seams, then sew in sleeves. Sew on buttons. Using a piece of cardboard 2.5 cm in diameter with a 1.2 cm

hole, make 8 pom-poms (see page 7), and sew to lower points. Press seams.

HAT

Using 4.00mm Needles, cast on 67 (77-82-87) sts.

Knit 21 rows garter st (1st row is wrong side of brim).

22nd row - K2, * inc in next st, K4, rep from * to end ... 80 (92-98-104) sts.

Work 22 (24-26-28) rows stocking st.

Shape crown - 1st row - K1, * K2 tog, K11 (13-14-15), rep from * to last st, K1 ... 74 (86-92-98) sts.

2nd and 4th rows - Purl.


3rd row - K1, * K2 tog, K10 (12-13-14), rep from * to last st, K1 ... 68 (80-86-92) sts.

5th row - K1, * K2 tog, K9 (11-12-13), rep from * to last st, K1 ... 62 (74-80-86) sts.

Cont dec in this manner (working one st less between dec each time) in alt rows until 44 (50-56-62) sts rem, then in foll 6th rows until 8 sts rem.

Break off yarn, run end through rem sts, draw up tightly and fasten off securely.

MAKE UP


With a slightly damp cloth and warm iron (unless stated otherwise on ball band), press lightly. Using back-stitch, join seam, reversing for garter st brim. Press seam. Turn back brim for 3 cm. Make a pom-pon as for **Jacket** and sew to end of hat. 

5

Continued from Page 13

MAKE UP

DO NOT PRESS. Using back-stitch, join centre back seam of

hat. Using 4 strands of yarn 100 cm long for each, make 2 twisted cords (see page 7) and attach one to each side of hat. Using 12 strands of yarn 20 cm long for each, make 5 plaits and attach to point of hat, trimming and knotting ends to form tassles (as illustrated). 

THE Patons HAND KNIT STAR ★ RATINGS TO HELP YOU CHOOSE THE PATTERN SUITED TO YOUR KNITTING ABILITY

★ beginner level

★★ easy knits

★★★ advanced knitters

★★★★ challenge knit

P The letter P after any star grouping suggests that an additional degree of patience is required for a quality finish.





